




Paslode[®]





PSN98



		<p>A = 360 mm B = 500 mm C = 115 mm</p>
		<p>= 3,47 kg</p>

<p>2,9 l (6 bar) / </p>
<p>Ps max. = 8,3 bar</p>


<p>EN 12549+EN ISO 4871</p>	<p>L_{WA.1s} = 103 dBA L_{pA.1s} = 92 dBA L_{pA.1s1m} = 90 dBA</p>
<p>EN12096 : 2017</p> <p>ISO 8662-11</p>	<p>Vibration = 3,4 m/s²</p>


<p>PASLODE 34° STRIP NAILS</p>	<p>Max. 77x</p>	<p>d= 2,8 - 3,4mm L= 50 - 100 mm</p>




	<p>Sequential trigger actuation/ Einzelauslösung/ enkelschots/ Déclenchement du tir - mode séquentiel/ Funcionamiento secuencial "en continuo"/ Gatilho de actuação sequencial/ funzionamento sequenziale (colpo a colpo)/ Enkeltskuds aftrækker/ Enkelskott/ Enkeltskudds avtrekker/ Kertalaukaisu/ Üksiklasu meetodil töötamine/ Uruchomienie spustu sekwencyjne/ Sekvenčni poušt/ Egyes lövés (szakaszosan működtetett elsütő billentyűvel)/ Posamezno proženje/ Kontaktirajte singl</p>
	<p>Contact trigger actuation/ Kontaktauslösung/ repeterend schieten/ Déclenchement du tir - mode rafale/ Funcionamiento por contacto "clavo a clavo"/ Gatilho de actuação por contacto/ funcionamento a contacto/ Stødskydnings aftrækker/ Støtskjutning/ Støtspikrings avtrekker/ Kosketuslaukaisu/ Automaatmeetodil töötamine/ Uruchomienie spustu przez kontakt/ Kontaktní poušt/ Sorozatlövés (folyamatosan behúzott elsütő billentyűvel)/ Kontaktno proženje/ Kontaktirajte pokretanje</p>


Model: PSN98
No. 502700














d = 2.8 - 3.4 mm
L = 50 - 100 mm
A = 34°






ITW Befestigungssysteme GmbH, 30986 Hemmingen, Germany



				 3x
<p>No 014748 + No. 574500</p>		<p>No. 014121</p>		








Accessories




		
<p>No. 151299</p>	<p>No. 576216</p>	<p>No. 613172</p>
<p>0,5 l oil</p>	<p>1 l oil</p>	






014748










YY= Year of manufacture
WW = Week of manufacture



Resting position





ITW CONSTRUCTION PRODUCTS EUROPE

Code 574500 (05/2019)

www.spitpaslode.com